

# Perfectly set up.

With our equipment to handle,  
lift, swivel and transport.



Handling Equipment

# Small but mighty.

Lifting table Pegasus small.



## Your advantages

- Perfectly fitted for your workshop due to its size and adjustable height.
- Up to 300kg load capacity thanks to the metal plate on the top.
- Easy handling via the 4 polyamide steering rollers. 2 of them come with foot break.
- Safety where it's needed – protection handle against fall down of the table.

## Technical data

<b>Load capacity</b>	300 kg
<b>Stroke</b>	610 mm
<b>Height</b>	400 mm
<b>Frame</b>	970 x 590 mm
<b>Max. height</b>	1.010 mm
<b>Weight</b>	85 kg



# Classy middleclass.

Lifting table Herkules middle.

## Your advantages

- Made for bigger workpieces.
- Just find the plate that suits your needs best and put it on and then adjust it via the foot pedal.
- Easy handling via the 4 polyamide drive steering rollers. 2 of them come with foot break.
- Safety where it's needed – protection handle against fall down of the table.

Load capacity	300 kg
Stroke	610 mm
Height	400 mm
Frame	1.200 x 740 mm
Max. height	1.010 mm
Weight	85 kag



# Godly big.

Lifting table Zeus big.



## Your advantages


- Big and also moveable workbench.
- Just pick the height you need via the foot pedal on the side.
- choose the table top that fits you best.
- Easy handling via the 4 polyamide drive steering rollers. 2 of them come with foot break.
- Safety where it's needed – protection handle against fall down of the table.

Load capacity	300 kg
Stroke	610 mm
Height	400 mm
Frame	1.900 x 740 mm
Max. height	1.010 mm
Weight	195 kg



# One-man-Show.

Plate swivel cart PSF 250.



## Your advantages

- Just take the plate out of your vertical plate storage and take it to your horizontal table saw – all by yourself.
- Swiveling frame and hydraulic height adjustment.
- Rolls on the frame for easy moving of the plate.
- 4 steering rollers guarantee a safe handling within your workshop.

## Technical data

<b>Cart height upright</b>	ca. 120 - 340 mm
<b>Cart height horizontal</b>	ca. 890 - 1200 mm
<b>Max. plate size</b>	5200 x 2100 mm
<b>Load capacity</b>	250 kg
<b>4 polyamide drive steering rollers</b>	

# Paint it black!

Rotary paint table Lackfix.

## Your advantages

- Maximum flexibility thanks to his adjustable support arms and 360° rotateability and height adjustment.
- Load capacity up to 300kg.

## Technical data

<b>Height</b>	1000-1300 mm	<b>Length</b>	max. 1850 mm
<b>Width</b>	max. 800 mm	<b>Load cap.</b>	300 kg



# Easy storing.

Drying and storage rack Varioflex.



## Your advantages

- For easy and careful placing of your coated or carefully handled parts.
- 4 steering wheels to move the parts where you need them.
- Flexible framework from 200 to 2000mm length.
- Load capacity up to 400kg thanks to its 17 inner and outer tubes.
- Pluggable tubes and extendable back foot to load the cart from each side.
- Perfectly place saving – just take out the horizontal tubes and fold the cart.
- Optionally available accessories: shroud for the outer tubes, additional racks

Length	200 - 2000 mm
Depth	870 - 1180 mm
Height	1855 mm
Support tube length	650 mm
Extended tube length	1150 mm
Support tube distance	70 mm
Load capacity	400 kg



# Move along!

Drying and storage cart Eco Flex.

# Solid Brother.

Drying and storage cart Stabilo Flex.

## Your advantages

- Highly robust rack to take care of your heavier parts.
- Very high load capacity up to 900kg.
- 900mm support tubes facilitate the storage of parts with great depth.
- 4 robust polyamide steering rollers provide you with stability and mobility.
- 2 racks are not enough – take as many additional racks as you need.

Length	300 - 2000 mm
Depth	1200 mm
Height	2105 mm
Support tube length	900 mm
Support tube distance	73 mm
Load capacity	900 kg



## Your advantages

- The cost efficient way to store your parts.
- Thanks to its 4 steering wheels also an ideal way to move your parts through your workshop.
- Adjustable and flexible framework from 200 to 1500mm.
- Load capacity up to 400kg.
- Pluggable tubes and extendable back foot to load the cart from each side.
- The rack comes with 2 pair of tubes 1500mm and 500mm to save place when it's not needed.
- Optionally available accessories: additional racks.

Length	200 - 1500 mm
Depth	870 - 1180 mm
Height	1855 mm
Support tube length	650 mm
Support tube distance	70 mm
Load capacity	400 kg

Your Partner:

**rehnen.de**



Rehnen GmbH & Co. KG  
Gewerbegebiet A31  
D-26892 Heede/Ems

T +49 (0) 49 63 / 49 65  
F +49 (0) 49 63 / 49 66  
[info@rehnen.de](mailto:info@rehnen.de)